

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

CAN KILL IF SWALLOWED

DO NOT PUT IN DRINK BOTTLES

KEEP LOCKED UP

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

eChem
Paraquat 360

HERBICIDE

ACTIVE CONSTITUENT: 360 g/L PARAQUAT (present as PARAQUAT DICHLORIDE)

GROUP **22** HERBICIDE

For the control of certain grasses and broadleaf weeds
as specified in the Directions for Use table.

IMPORTANT: READ COMPLETE DIRECTIONS FOR USE BEFORE USING THIS PRODUCT

1000
Litres

eChem
crop protection

FOR USE ONLY AS AN AGRICULTURAL AND HORTICULTURAL HERBICIDE.
THIS PRODUCT IS TOO HAZARDOUS TO BE USED IN THE HOME GARDEN.

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Do not swallow. The product, particularly the concentrate, can kill if swallowed, absorbed through the eyes, or absorbed by skin contact. The liquid can cause burns, particularly to the eyes. Will irritate the nose, throat, and skin. When handling, do not touch or rub eyes, nose or mouth with hand. Avoid contact with eyes and skin, open wounds, and clothing. Protect eyes while using.

If clothing becomes contaminated with product or with wet spray remove clothing immediately. Do not inhale spray mist. Do not allow children to play with containers or any equipment that is used. When connecting, disconnecting and cleaning equipment, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat, impervious footwear, elbow-length chemical resistant gloves and a full-face respirator with canister specified for paraquat/diquat OR half face-piece respirator with canister specified for paraquat/diquat and face shield or goggles.

When applying by hand wand wear cotton overalls, over normal clothing, buttoned to the neck and wrist and a washable hat, impervious footwear, elbow-length chemical resistant gloves and a full-face piece respirator with a canister specified for paraquat/diquat.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves, face shield or goggles, respirator (and if rubber wash with detergent and warm water), clothing and footwear.

FIRST AID

If Poisoning occurs get to a doctor or hospital quickly. If sprayed on skin, wash thoroughly. If sprayed in mouth, rinse mouth with water. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET

If additional hazard information is required refer to the Safety Data Sheet which is available from the supplier.

Fatal if inhaled.
Causes damage to organs through prolonged or repeated exposure.

CONDITIONS OF SALE:

eChem Pty Ltd. Accepts responsibility for the consistent quality of the product however since the use and application of the product is beyond control, the company accepts no responsibility whatsoever for any loss, damage or other result following the use of the product whether used in accordance with directions or not; other than those mandatorily imposed by statutes, the liability is limited to the replacement of the goods and is conditional upon a claim made in writing and, where necessary, a sufficient part of the goods being returned for proper examination by the company within thirty days of sales.

APVMA Approval No: 93444/RV2026

Batch No:

DOM:

UN 3016 BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC
HAZCHEM 2X
PACKING GROUP III



eChem (Australia) Pty Ltd
Level 4, Lantos Place
80 Stamford Road
Indooroopilly QLD 4068

Ph: 1300 781 649
Fax: 1300 781 650
admin@echem.com.au
www.echem.com.au



© Copyright eChem (Aust) Pty. Limited, 2026