CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Staroxy 400
HERBICIDE

ACTIVE CONSTITUENTS: 400 g/L FLUROXYPYR present as the methylheptyl Ester SOLVENTS: 100 g/L N-METHYL-2-PYRROLIDONE 316 g/L LIQUID HYDROCARBON

GROUP

HERBICIDE

For the control of a wide range of Broadleaf Weeds in Fallow, Lucerne, Maize, Millets, Pastures, Poppies, Sorghum, Sugar Cane, Sweetcorn, Winter Cereals. Also for the control of Woody Weeds in Agricultural Non-Crop Areas, Commercial and Industrial Areas, Forests, Pastures and Rights-of-way, as specied in the Directions for Use.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT

20 Litres





Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government

SMALL SPILL MANAGEMENT

Wear protective equipment (See SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, clay granules or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal. (See STORAGE AND DISPOSAL section). If necessary, wash the spill area with an alkali detergent and water and absorb as above, the wash liquid for disposal.

regulation. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. Sensitive workers should use protective clothing. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and face shield or goggles. After each day's use, wash gloves, face shield or goggles and contaminated clothing. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre Phone Australia 13 11 26.

If swallowed, DO NOT induce vomiting. Give a glass of water.

Combustible liquid

Keep away from flames and hot surfaces. - No smoking. In case of fire, use carbon dioxide, dry chemical, foam, water fog.

May be fatal if swallowed and enters airways.

Repeated exposure may cause skin dryness or cracking. May cause respiratory irritation.

May damage fertility or the unborn child.

Do not handle until all safety precautions have been read and understood.

If exposed or concerned: Get medical advice.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE

eChem (Australia) Pty Ltd. accepts responsibility for the consistent quality of the product however since the use and application of the product is beyond control, the company accepts no responsibility whatsoever for any loss, damage or other result following the use of the product whether used in accordance with directions or not; other than those mandatorily imposed by statutes, the liability is limited to the replacement of the goods and is conditional upon a claim made in writing and, where necessary, a sucient part of the goods being returned for proper examination by the company within thirty days of sale

Batch No:

DOM:

APVMA Approval No: 81488/103204



eChem (Australia) Pty Ltd Level 4, Lantos Place 80 Stamford Road Indooroopilly QLD 4068

Ph: 1300 781 649 Fax: 1300 781 650 admin@echem.com.au www.echem.com.au



