



Safety Data Sheet according to WHS Regulations

Printing date 07.09.2022 Revision: 07.09.2022

1 Identification

Product Name: eChem Fipronil 200 SC Insecticide

Other Means of Identification: Mixture APVMA Approval Number: 91887

Recommended Use of the Chemical and Restriction on Use: Insecticide

Details of Manufacturer or Importer:

eChem Australia Pty Ltd Level 4, Lantos Place 80 Stamford Road Indooroopilly 4068 QLD

Phone Number:

1300 781 649 (office hours)

Emergency 1800 033 111 (any time)

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Acute Toxicity (Dermal) 4 H312 Harmful in contact with skin.

Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

according to WHS Regulations

Printing date 07.09.2022 Revision: 07.09.2022

Product Name: eChem Fipronil 200 SC Insecticide

(Contd. of page 1)

Precautionary Statements

P101	if medical advice is needed, have product container or label at hand.
D102	Koop out of reach of children

keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves / protective clothing.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 120068-37-3 Fipronil

15-20%

Acute Toxicity (Oral) 3, H301; Acute Toxicity (Dermal) 3, H311; Acute Toxicity (Ínhalation) 3, H331; 🚯 STOT RE 1, H372; 🚯 Aquatic Chronic 1, H410

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation develops.

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation.

Skin Contact: Harmful in contact with skin. May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

according to WHS Regulations

Printing date 07.09.2022 Revision: 07.09.2022

Product Name: eChem Fipronil 200 SC Insecticide

(Contd. of page 2)

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen chloride, other chlorine compounds, water and smoke.

Product is not flammable. However, it may burn in a large fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with water and detergent.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from direct sunlight.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards

(Contd. on page 4)

according to WHS Regulations

Printing date 07.09.2022 Revision: 07.09.2022

Product Name: eChem Fipronil 200 SC Insecticide

(Contd. of page 3)

the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Suspension Colour: Off-white

Odour: Slight, characteristic **Odour Threshold:** No information available

pH-Value: 4.5 - 5.5 (1%)

Melting point/freezing point:

No information available
Initial Boiling Point/Boiling Range:

No information available

Flash Point: Not applicable

Flammability: Product is not flammable
Auto-ignition Temperature: No information available
Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Density: 1.03 g/cm³ Vapour Density: like water

Evaporation Rate: No information available

Solubility in Water: Soluble

Partition Coefficient (n-octanol/water): No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight Incompatible Materials: None known.

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen chloride, other chlorine compounds, water and smoke.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:				
CAS: 120068-37-3 Fipronil				
Oral	LD50	92 mg/kg (rat)		
Dermal	LD50	354 mg/kg (rabbit)		
Inhalation	LC50/4 h	0.36-0.42 mg/l (mouse)		

(Contd. on page 5)

according to WHS Regulations

Printing date 07.09.2022 Revision: 07.09.2022

Product Name: eChem Fipronil 200 SC Insecticide

(Contd. of page 4)

Acute Health Effects

Inhalation: Harmful if inhaled. May cause respiratory irritation. **Skin:** Harmful in contact with skin. May cause skin irritation.

Eye: May cause eye irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for fipronil for a human is 0.0002 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.02 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2022).

12 Ecological Information

Ecotoxicity: Fipronil is toxic to bees.

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 120068-37-3 Fipronil

LC50 0.085 mg/l (bluegill)

0.43 mg/l (carp)

0.19 mg/l (daphnia magna) 0.248 mg/l (rainbow trout)

Persistence and Degradability:

Biodegradable. Fipronil has a half-life of 122 - 128 days in oxygenated sandy loam and 34 days in loamy soil when exposed to sunlight.

Bioaccumulative Potential: Bioaccumulation is not expected to occur.

Mobility in Soil: Fipronil adsorbs to soil particles and so has low mobility in soils.

Other adverse effects: No further relevant information available.

(Contd. on page 6)

according to WHS Regulations

Printing date 07.09.2022 Revision: 07.09.2022

Product Name: eChem Fipronil 200 SC Insecticide

(Contd. of page 5)

13 Disposal Considerations

Disposal Methods and Containers:

Dispose according to applicable local and state government regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ADG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (FIPRONIL)

Dangerous Goods Class

ADG Class: 9

Packing Group:

ADG, IMDG, IATA

Marine pollutant:

Yes

EMS Number:

F-A,S-F

Hazchem Code:

•37

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information:Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Excepted quantities (EQ): E1
Limited Quantities: 5L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 91887.

(Contd. on page 7)

according to WHS Regulations

Printing date 07.09.2022 Revision: 07.09.2022

Product Name: eChem Fipronil 200 SC Insecticide

(Contd. of page 6)

16 Other Information

Date of Preparation or Last Revision: 07.09.2022

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 3: Acute toxicity - Category 3 Acute Toxicity (Oral) 4: Acute toxicity - Category 4

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance, eChem Australia Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.